



10.1" All-Aluminum Panel PC




FEATURES

- ◆ Ultra-slim and stylish design that fits in any retail and industrial setting.
- ◆ Industrial motherboard for durability and longevity.
- ◆ USB Type-C DP Alternate Mode for a single cable solution.
- ◆ All-aluminum alloy housing for industrial robustness.
- ◆ True-flat, narrow bezel for an optimal viewing experience.
- ◆ 10-Points projected capacitive touch for the best user experience.
- ◆ Optical direct bonding to prevent internal condensation build-up.
- ◆ Optional anti-glare touch glass for undistracted readings.
- ◆ 16:10, 1280*800 high resolution display.
- ◆ IP65 front bezel ingress protection.

Perspective Views



Dimensions



PHISTEK INC.

PHiStek
Industrial Solution Provider

5 F, No. 188, Section 3, Datong Road
Xizhi District, New Taipei City, TAIWAN

TEL: +886-2-8647-3168 FAX: +886-2-8647-3169

Technical Specification

Model		PPC101
CPU		Intel Twin Lake N150 (4-Core, 3.6GHz)
System Memory		LPDDR5 8GB
Graphic		Intel UHD Graphics
Storage	SSD	EMMC 128GB
LCD	Size	10.1" TFT LCD
	Resolution	1280 x 800
	Aspect Ratio	16:10
	Brightness	400 cd/m2 (Typ.)
	Contrast Ratio (Typ.)	800:1
	Viewing Angles (H/V)	178° / 178°
Touch Screen	Type	10-Points Projected Capacitive
External I/O Port		1 * USB 3.2
		2 * USB 2.0
		1 * USB-C (DP Alt Mode)
		1 * HDMI
		1 * LAN (RJ45 GbE)
		1 * Mic-in, 1 * Spk-out
		1 * DC-In (12V/5A, 5.5*2.5mm)
		1 * Power Button
Speaker		2 * 2Watt
Power		AC Power Adapter (12V/5A)
Environmental	Operating Temp	0°C ~ 40°C
	Storage Temp	-20°C ~ 60°C
	Operating Humidity	20% ~ 85% RH non-condensing
	Storage Humidity	20% ~ 85% RH non-condensing
Housing		Aluminum Alloy
OS Support		Windows® 10/11 64bit Linux Ubuntu 20.04
Dimension (W * H * D)		240.5 * 159.1 * 47.1 mm
Weight (N.W./G.W.)		1.5Kgs / 2.5Kgs
Wall Mount (VESA)		75*75mm & 100*100mm

* Specification is subject to change without prior notice.